

[Web](#)
[Images](#)
[Video](#)
[News](#)
[Maps](#)
[more »](#)

**Google scholar**

The "AND" operator is unnecessary -- we include all search terms by default. [d]

**Scholar**   **All articles** - **Recent articles**   Results 1 - 10 of about 12 for "**gomez-vega**" and **glass** and **H**.

Bioactive **glass** coatings with hydroxyapatite and Bioglass® particles on Ti-based implants. 1.

... - [► ucsf.edu \(pdf\)](#)

JM Gomez-Vega, E Saiz, AP Tomsia, GW Marshall, SJ ... - Biomaterials, 2000 - Elsevier

... JM **Gomez-Vega** a , E. Saiz a , AP Tomsia Corresponding Author Contact Information ...

There was no apparent reaction at the **glass/HA** interface at the temperatures ...

Cited by 47 - [Related articles](#) - [Web Search](#) - [BL Direct](#) - [All 8 versions](#)

Glass-based coatings for titanium implant alloys

JM Gomez-Vega, E Saiz, AP Tomsia - Journal of biomedical materials research, 1999 - interscience.wiley.com

... JM **Gomez-Vega**, E. Saiz, AP Tomsia Materials Science ... the reactivity be- tween the

**glass** and the alloy ... composition or with hydroxyapatite (**HA**) particles embedded ...

Cited by 39 - [Related articles](#) - [Web Search](#) - [BL Direct](#) - [All 5 versions](#)

[PDF] [► Novel bioactive functionally graded coatings on Ti6Al4V](#)

JM Gomez-Vega, E Saiz, AP Tomsia, T Oku, K ... - Advanced Materials, 2000 - ucsf.edu

... Jose M. **Gomez-Vega** thanks the Spanish Ministry of Education (MEC) for ... of glasses

with different compositions and mixtures of **glass** and **HA** were sequentially ...

Cited by 25 - [Related articles](#) - [View as HTML](#) - [Web Search](#) - [BL Direct](#) - [All 4 versions](#)

Glass-hydroxyapatite coatings on titanium-based implants

JM Gomez-Vega, E Saiz, AP Tomsia, GW Marshall, SJ ... - Ceramic Transactions(USA), 1999 - csa.com

JM **Gomez-Vega**, E Saiz, AP Tomsia, GW Marshall, SJ Marshall Ceramic Transactions(

USA) 110, 15-23, 4/1999. ... **Glass**-hydroxyapatite (**HA**) coatings were ...

Cited by 1 - [Related articles](#) - [Web Search](#) - [BL Direct](#) - [All 2 versions](#)

[PDF] [► A multilayer approach to fabricate bioactive \*\*glass\*\* coatings on Ti alloys](#)

JM Gomez-Vega, E Saiz, AP Tomsia, GW Marshall, SJ ... - MATERIALS RESEARCH SOCIETY SYMPOSIUM

PROCEEDINGS, 1999 - repositories.cdlib.org

... **Glass-HA** and silica functionally graded coatings are accessible by a multilayer ... Jose

M. **Gomez-Vega** wishes to thank FICYT for the postdoctoral fellowship given ...

Cited by 1 - [Related articles](#) - [Web Search](#) - [BL Direct](#) - [All 6 versions](#)

Bioactive **glass** coatings on Ti-based implants

M Goldman, E Saiz, A Pazo, JM Gomez-Vega, AP ... - 1998 - csa.com

Bioactive **glass** coatings on Ti-based implants. M Goldman, E Saiz, A Pazo, JM

**Gomez-Vega**, AP Tomsia 1998. ... are often coated with hydroxyapatite(**HA**) through plasma ...

[Web Search](#)

Bioactive **glass** coatings with hydroxyapatite and Bioglass (registered) particles on Ti-based ...

JM Gomez-Vega, E Saiz, AP Tomsia, GW Marshall, SJ ... - Biomaterials, 1999 - osti.gov

... There was no apparent reaction at the **glass/HA** interface at the temperatures used

in this work (800-840 degrees C). In contrast, BG particles softened and some ...

[Cached](#) - [Web Search](#)

Functionally graded bioactive **glass** coatings on Ti-based implants

JM Gomez-Vega, E Saiz, M Goldman, AP Tomsia - Sixth World Biomaterials Congress, 2000 - csa.com

Functionally graded bioactive **glass** coatings on Ti-based implants. JM **Gomez-Vega**, E Saiz, M Goldman, AP Tomsia Sixth ... the formation of an apatite (**HA**) layer in ...

[Web Search](#)

An enhanced CVD approach to extensive nanotube networks with directionality

NR Franklin, H Dai - Advanced Materials, 2000 - interscience.wiley.com

... [6] Some of the major causes of failure of **HA**- coated metal ... The reaction sequence at the **glass**/metal inter- faces during ... Dr. AP Tomsia, Dr. JM **Gomez-Vega**, Dr. E ...


[Cited by 137](#) - [Related articles](#) - [Web Search](#) - [BL Direct](#) - [All 2 versions](#)

[book] Bioceramics: materials and applications III

L. George, RP Rusin, G Fischman - 2000 - Wiley-Blackwell

[Related articles](#) - [Web Search](#) - [Library Search](#) - [All 4 versions](#)

Key authors: [J Gomez-Vega](#) - [E Saiz](#) - [A Tomsia](#) - [G Marshall](#) - [S Marshall](#)

Google 

Result Page:    1   2    [Next](#)

[Go to Google Home](#) - [About Google](#) - [About Google Scholar](#)

©2009 Google

Web Images Video News Maps [more »](#)

Google scholar

[Advanced Scholar Search](#)  
[Scholar Preferences](#)  
[Scholar Help](#)

**Scholar**

Results 1 - 4 of 4. (0.11 seconds)

[\[PDF\]](#) ► [Novel bioactive functionally graded coatings on Ti6Al4V](#)

JM Gomez-Vega, E Saiz, AP Tomsia, T Oku, K ... - Advanced Materials, 2000 - ucsf.edu

[7] A. Cassell, N. Franklin, T. Tomblar, E. Chan, J. Han, H. Dai, J. Am. Chem.

Soc. 1999, 121, 7975. [8] P. Yang, T. Deng, D. Zhao, P. Feng, D. Pine, BF

Chmelka, GM Whitesides, GD Stucky, Science 1998, 282, 2244. [9] L. Wang, L. ...

[Cited by 25](#) - [Related articles](#) - [View as HTML](#) - [Web Search](#) - [BL Direct](#)

[Novel bioactive functionally graded coatings on Ti6Al4V](#)

JM Gomez-Vega, E Saiz, AP Tomsia, T Oku, K ... - Advanced Materials, 2000 - osti.gov

This document is not available electronically via this database. For copies of

Journal Articles, please contact the Publisher or your local public or

university library and refer to the information in the Resource Relation ...

[Cached](#) - [Web Search](#)

[Novel bioactive functionally graded coatings on Ti6Al4V](#)

JM Gomez-Vega, E Saiz, AP Tomsia, T Oku, K ... - Advanced Materials, 2000 - cheric.org

CrossRef is an independent membership association, founded and directed by

publishers. CrossRef's mandate is to connect users to primary research

content, by enabling publishers to do collectively what they can't do ...

[Cached](#) - [Web Search](#)

[Novel Bioactive Functionally Graded Coatings on Ti6Al4V](#)

JM Gomez-Vega, E Saiz, AP Tomsia, T Oku, K ... - Advanced Materials, 2000 - interscience.wiley.com

[7] A. Cassell, N. Franklin, T. Tomblar, E. Chan, J. Han, H. Dai, J. Am. Chem.

Soc. 1999, 121, 7975. [8] P. Yang, T. Deng, D. Zhao, P. Feng, D. Pine, BF

Chmelka, GM Whitesides, GD Stucky, Science 1998, 282, 2244. [9] L. Wang, L. ...

[Web Search](#)

[Go to Google Home](#) - [About Google](#) - [About Google Scholar](#)

©2009 Google

Web Images Video News Maps [more »](#)

Google scholar

[Advanced Scholar Search](#)  
[Scholar Preferences](#)  
[Scholar Help](#)

**Scholar**

Results 1 - 6 of 6. (0.03 seconds)

[\[PDF\]](#) [► A multilayer approach to fabricate bioactive glass coatings on Ti alloys](#)

JM Gomez-Vega, E Saiz, AP Tomsia, GW Marshall, SJ ... - [repositories.cdlib.org](#)

Glasses in the system Si-Ca-Na-Mg-PKO with thermal expansion coefficients close to that of Ti6Al4V were used to coat the titanium alloy by a simple enameling technique. Firings were done in air at temperatures between 800 ...

[Cited by 1](#) - [Related articles](#) - [Web Search](#) - [BL Direct](#)

[\[CITATION\]](#) A MULTILAYER APPROACH TO FABRICATE BIOACTIVE GLASS COATINGS ON TI ALLOYS

JM GOMEZ-VEGA, E SAIZ, AP TOMSIA, GW MARSHALL, SJ ... - Biomedical materials--drug delivery, implants, and tissue ..., 1999 - Materials Research Society

[Web Search](#)

[\[CITATION\]](#) A MULTILAYER APPROACH TO FABRICATE BIOACTIVE GLASS COATINGS ON TI ALLOYS

JM GOMEZ-VEGA, E SAIZ, AP TOMSIA, GW MARSHALL, SJ ...

[Web Search](#)

[A multilayer approach to fabricate bioactive glass coatings on Ti alloys](#)

JM Gomez-Vega, E Saiz, AP Tomsia, GW Marshall, SJ ... - MRS Fall Meeting 1998, Boston, MA (US), 11/30/1998--12/01/ ..., 1998 - [osti.gov](#)

Glasses in the system Si-Ca-Na-Mg-PKO with thermal expansions coefficients close to that of Ti6Al4V were used to coat the titanium alloy by a simple enameling technique. Firings were done in air at temperatures between 800 and 840°C ...

[View as HTML](#) - [Web Search](#)

[A multilayer approach to fabricate bioactive glass coatings on Ti alloys](#)

JM Gomez-Vega, E Saiz, AP Tomsia, GW Marshall, SJ ... - Lawrence Berkeley National Laboratory, 1998 - [repositories.cdlib.org](#)

Glasses in the system Si-Ca-Na-Mg-PKO with thermal expansion coefficients close to that of Ti6Al4V were used to coat the titanium alloy by a simple enameling technique. Firings were done in air at temperatures between 800 and 840 C ...

[Cached](#) - [Web Search](#)

[A multilayer approach to fabricate bioactive glass coatings on Ti alloys](#)

JM Gomez-Vega, E Saiz, AP Tomsia, GW Marshall, SJ ... - 1998 - [osti.gov](#)

Glasses in the system Si-Ca-Na-Mg-PKO with thermal expansion coefficients close to that of Ti6Al4V were used to coat the titanium alloy by a simple enameling technique. Firings were done in air at temperatures between 800 and 840 C ...

[Cached](#) - [Web Search](#)

[Go to Google Home](#) - [About Google](#) - [About Google Scholar](#)